

# **An Introduction to UNIX**

Michael Rutter

mjr19@cam

Michaelmas 2006

# Basic UNIX

One cannot teach in a few dozen pages all the UNIX you need in order to operate effectively in a UNIX-based environment. Time spent discovering more about UNIX, by:

- attending free courses (provided by the University Computing Service)
- reading books
- reading on-line resources
- asking those who know more

is time well spent.

Time spent learning from those who know little is less well spent. The blind leading the blind rarely has an auspicious outcome.

The first part of this booklet, in large type, is pretty basic. The second half exists to convince you that there are (many) more useful tricks which are worth finding: it is not exhaustive!

## The `xterm` and shell

The `xterm` is a most useful and necessary application. It provides a command-line interface to the operating system. A command line interface (CLI) is generally more powerful and flexible than a graphical interface.

The `xterm` itself is a resize-able window, with a scroll-bar on the left, in which a *shell* or *command interpreter* runs. The latter obeys our commands and produces a prompt consisting of the machine name followed by the name of the current *directory*. (A directory is what the real world calls that which Windows and MacOS call a ‘folder’.)

The shell that is used by default in TCM is called `bash`, although many others are common. `man bash` will tell you more. You can switch to the using the `bash` shell as your default with `chsh` on a Linux computer if you are not already using it.

# xterm tricks

As xterm was designed in the 1980s, its user interface is rather antiquated and unfamiliar. This is not quite the same as being non-functional. Menus do exist: hold down ctrl and click a mouse button over its window to obtain one of three possible menus.

Main Options	VT Options	VT Fonts
Secure Keyboard	✓ Enable Scrollbar	✓ Default
Allow SendEvents	✓ Enable Jump Scroll	Unreadable
Redraw Window	Enable Reverse Video	Tiny
Print Window	✓ Enable Auto Wraparound	Small
print-redirect	Enable Reverse Wraparound	Medium
8-Bit Controls	Enable Auto Linefeed	Large
Backarrow Key (BS/DEL)	Enable Application Cursor Keys	Huge
✓ Alt/NumLock Modifiers	Enable Application Keypad	Escape Sequence
Meta Sends Escape	Scroll to Bottom on Key Press	Selection
Delete is DEL	✓ Scroll to Bottom on Tty Output	Line-Drawing Characters
Old Function-Keys	Allow 80/132 Column Switching	✓ Doublesized Characters
Sun Function-Keys	Enable Curses Emulation	
VT220 Keyboard	Enable Visual Bell	
Send STOP Signal	Enable Pop on Bell	
Send CONT Signal	Enable Margin Bell	
Send INT Signal	Enable Blinking Cursor	
Send HUP Signal	✓ Enable Alternate Screen Switching	
Send TERM Signal	Enable Active Icon	
Send KILL Signal	Do Soft Reset	
Quit	Do Full Reset	
	Reset and Clear Saved Lines	
	Show Tek Window	
	Switch to Tek Mode	
	Hide VT Window	
	Show Alternate Screen	

Note: one of the menus allows you to change the font size.

As for the scroll bar, drag the slider with the middle mouse button, or left click to move down a fractional page, right click to scroll back a fractional page.

The xterm can envelope any text-based application, so

```
$ xterm +sb -e pine &
```

will produce the program pine running in its own window, without a scroll-bar. If no command is given, xterm defaults to running your login shell.

# Window Managers

The window manager is a special X client. It is responsible for adding the *decorations* to a window: the border and title bar, and for controlling move and resize operations using them. The default window manager in TCM is fvwm2 for the PCs and dtwm for the Alphas.

**fvwm** A left click on the desktop produces a menu from which terminals can be launched.

The grey square at the top right with dotted lines dividing it into nine smaller squares is a representation of the virtual desktops. There are nine desktops and you can use the grey square to change from one desktop to another with left mouse button clicks.

You can also move from desktop to desktop by moving the mouse off the edge of one the desktop, and onto the next one, including by accident.


Locking the screen when leaving it briefly (two minutes, or two hours) is surely a good idea. Doing so for long periods is a bad habit.

Quitting the window manager effects a logout (although the nervous close applications individually first, which is surely good practice).

Those who never log out, but only ever lock their screens, make themselves unpopular when they finally leave (again, without logging out), make it hard for kernels, X servers, etc., to be updated automatically (or manually), and have great faith that their X server has no memory leaks.

Those who quit window managers without first closing applications lose any chance of warnings about unsaved file, and may find that some applications occasionally fail to exit properly, but remain in the background, possibly continuing to consume CPU time and memory.


# Anatomy of a Window



'Raise' and 'Lower' move the window up and down a stack of overlapping windows. 'Stick' makes the window appear on all virtual desktops. 'Close' will close an errant window, 'Destroy' ditto but overly forcibly. A double-click on the top left button is equivalent to selecting 'Close.'

You can also find this menu by middle clicking with the mouse while the mouse pointer is on any window edge - this is very useful when the title bar of a window is off the screen.

## dtwm



A taskbar, rather than menus which appear when one clicks on the desktop, is the way to launch terminals in dtwm. Four virtual desktops exist by default, and dragging to the edge of the screen does not cause one to change desktop: one must use the paging buttons, or, to move a window, the 'Occupy Workspace' option which appears when its top left button is clicked.

Most of the applications accessible from the taskbar are worse than useless. The screen lock and the exit (logout) buttons are useful.

# Simple File Operations

Files can be copied, moved (renamed) and removed (deleted) using the commands `cp`, `mv` and `rm`. Their names are listed by `ls`.

**Be Careful!:** deletion is irreversible!

```
tcm30:~$ cp thesis.tex new_book.tex
tcm30:~$ ls
mail                results.dat
new_book.tex       thesis.tex
```

It may be possible to recover files deleted from one's home directory from the backup. Please ask a CO.

## Tidiness

It is best to place files in tidy groups in subdirectories, rather than having everything in one directory. The command `mkdir` creates a directory, and `rmdir` will remove one provided it is empty. The `cd` command changes the current directory.

```
tcm30:~$ mkdir test
tcm30:~$ ls
mail                results.dat        thesis.tex
new_book.tex       test
tcm30:~$ cd test
tcm30:~/test$ ls
tcm30:~/test$
```

# Trees

Directories form a tree: each directory has one parent directory, and may have multiple subdirectories. A filename is assumed to refer to the current directory. Other locations can be specified by forming a path using '/' to separate the components of the path, and '.' to refer to a directory's parent.

```
tcm30:~$ ls -F
a/  results.dat
tcm30:~$ cp results.dat a/results.dat
tcm30:~$ ls -RF
.:
a/  results.dat

./a:
results.dat
tcm30:~$ mkdir b
tcm30:~$ cd b
tcm30:~/b$ cp ../a/results.dat .
tcm30:~/b$ cd ..
tcm30:~$
```

`ls -F` distinguishes directories by placing a '/' after their names.

`ls -R` lists all subdirectories in a recursive fashion.

`cd` typed on its own returns one to one's home directory.

# Laziness

You have probably discovered that the cursor keys allow you to edit the current command and recall previous commands in an intuitive manner.

Note also that pressing {TAB} when part-way through typing a filename will cause the rest of the filename to be filled in automatically if it is unique. This trick also works for command completion (type `his` then press {TAB}).


The *wild-cards* ‘?’ and ‘\*’ can be used to stand for any one character, and any string of characters respectively:

```
tcm30:~$ ls
a.dat  b.dat  results.dat  write-up.txt
tcm30:~$ ls ?.dat
a.dat  b.dat
tcm30:~$ ls *.dat
a.dat  b.dat  results.dat
tcm30:~$ ls *
a.dat  b.dat  results.dat  write-up.txt
tcm30:~$ rm *
tcm30:~$ ls
tcm30:~$
```

`rm *` should be used with considerable caution. `rm -r *` should be use with EVEN more caution as the `-r` means a recursive removal of files and directories.

# More ls

```
tcm30:~$ ls -l thesis.tex
-rw-r--r-- 1 mjr19 tcm 3410 Oct  2 15:13 thesis.tex
```



## Access permissions:

	File	Directory
r	Readable	ls works
w	Writable	File deletion and creation permitted
x	eXecutable	Can access files and dirs within dir.

The first three characters refer to the file's owner.

The next three to people in the file's group.

The final three to everyone else.

By default, all files are readable by everyone. Other options make collaboration harder.

To prevent other people from reading a file, type:

```
tcm30:~$ chmod go= new_book.dat
```

Note the space after the '=', and note the change this produces in the output of `ls -l`.

`ls -ld *` will list actual directories in long format, whereas `ls -l *` will list the contents of each directory in long format.

# One Thing at a Time

The traditional UNIX philosophy is that a program should do one thing, and do it well (the Windoze philosophy often appears to be the opposite). This does often mean that one needs to invoke several commands to perform even a relatively simple thing. However, UNIX provides pipes, which enable one to feed the output of one command into the input of another simply.

There is a command, `less`, for displaying text files one screenful at a time. Hence almost no program offers this functionality: if you want it, use the program in combination with `less`!

```
tcm30:~$ ls -l | less
```

here the output of `ls -l` is fed into the input of `less`.

The command also works to display text files:

```
tcm30:~$ less thesis.tex
```

The `|` symbol is not the vertical line at the top left of the keyboard, but rather the (sometimes broken) vertical line to the left of 'z' on a UK keyboard. On a US keyboard it is found above the enter key.

# The `less` Command

You may wish to be familiar with the following keypresses:

<code>{space}</code>	next page
<code>{enter}</code>	next line
<code>d</code>	scroll about half a page
<code>/text</code>	search for next occurrence of <code>text</code>
<code>?text</code>	search for previous occurrence of <code>text</code>
<code>n</code>	repeat previous search
<code>i</code>	toggle case sensitivity of searches
<code>v</code>	start <code>vi</code>
<code>q</code>	quit
<code>{ctrl}L</code>	redraw screen
<code>b</code>	previous page
<code>j</code>	previous line
<code>u</code>	reverse scroll c. half a page
<code>G</code>	goto end of file
<code>numG</code>	goto line number <code>num</code> (1G for beginning)
<code>{ctrl}G</code>	display current position in file

The name ‘less’ is a pun on the older and simpler UNIX command ‘more’: less is more than more! If faced with having to use more, be aware that reverse scrolling with pipes may not be possible, and commands such as ‘G’ might not exist.

Searches actually use *regular expressions* (see later). You may need to place a `\` before some characters, especially ‘.’, ‘\*’, ‘[’ and ‘]’. If really stuck, replace an awkward character with a ‘.’, for a full-stop will match any character.

## Text Editors

A text editor is not a word processor, and vice versa. Word processors break up lines spontaneously and concern themselves with the minutiae of typography. This is not what a programmer wants.

The ubiquitous UNIX text editor is `vi`. It is based on a line-mode editor, and has an interesting user interface as a result. The most important thing to know about it is how to get out of it, and the answer is to press escape, followed by ‘:q!’ and enter.

Although `vi` is fast, powerful, and possibly worth learning, most people prefer to start with emacs. Emacs is much, much more complicated (and slower) than `vi`, but is friendlier in letting one type and use the cursor keys in a natural fashion.

As for quitting emacs, `{ctrl}X{ctrl}C` is the answer.

# Emacs

Emacs brings up its own windows if it can, and is best started with a filename specified on the command line.

```
tcm30:~$ emacs my_prog.f90 &  
tcm30:~$
```

The final `&` ensures that one immediately gets a prompt back in the `xterm`. Otherwise, the prompt will not reappear until one exits the editor.

Emacs has a nasty habit of changing its behaviour subtly based on the sort of file it thinks you are editing, with different ‘modes’ for text, C,  $\text{\LaTeX}$ , etc. These are meant to be helpful changes.

A process started with `&` is often referred to as a *background* process, as distinct from a *foreground* process which keeps full control of the terminal until it exits.

Emacs will use a text mode interface if it cannot produce its own window. If you get the errors such as ‘Suspended (tty output) emacs’ or ‘Stopped emacs’ type ‘fg’ to make emacs a foreground process again, then use `{ctrl}X`, `{ctrl}C` to exit.

All sensible text editors can search (forwards and backwards), search-and-replace, goto specified line number, say which line you are on, discard changes made since last save, save file under new name, cut and paste sections, and much else besides. It is worth becoming familiar with your favourite editor. Poor choices of editor include `xedit` and `pico`.

## Some Emacs Commands

(Many of these commands are also available from the menus.)

<code>{ctrl}G</code>	Cancel current operation
<code>{ctrl}{Home}</code>	Move to beginning of file
<code>{ctrl}{End}</code>	Move to end of file
<code>{ctrl}A</code>	Move to beginning of line
<code>{ctrl}E</code>	Move to end of line
<code>{ctrl}K</code>	Delete to end of line ( <b>K</b> ut)
<code>{ctrl}{space}</code>	Set mark
<code>{ctrl}W</code>	Delete to mark ( <b>W</b> ipe)
<code>{alt}W</code>	Copy to mark
<code>{ctrl}Y</code>	Paste last thing copied/deleted ( <b>Y</b> ank)
<code>{ctrl}_</code>	Undo (recursive) (underscore, not hyphen)
<code>{ctrl}S</code>	Search (exit with <code>{ctrl}G</code> )
<code>{alt}%</code>	Search and replace
<code>{ctrl}X 5 2</code>	Open second window
<code>{ctrl}X {ctrl} S</code>	Save current file
<code>{ctrl}X {ctrl} F</code>	Open new file
<code>{ctrl}X {ctrl} C</code>	Exit
<code>{alt}X goto-line{enter} n</code>	Goto line n
<code>{alt}X auto-fill-mode</code>	Toggle automatic line wrapping

Using `{TAB}` will automatically complete the long `{alt}X` commands.

Emacs refers to `{alt}` as `{meta}`, and abbreviates it to 'M'.

Having two windows displaying different, overlapping, or identical parts of the same file works perfectly, changes in one are immediately reflected in the other.

# Remote Display and X11

It is possible for a graphical application that is running on one computer to display on another computer.

When you ssh from one computer to another various magic can happen that allows X traffic to pass between computers so that:

```
tcmpe25:~$ ssh tcmpe1  
tcmpe1:~$ emacs &
```

will display emacs on the computer you are sitting at (tcmpe25 in this example, with emacs running on tcmpe1).

## Remote Display outside TCM

ssh is the answer, whether from inside to out or outside to in.

However some graphical applications produce a lot of traffic so things might slow down due to the encryption overheads.

## Within TCM

ssh is generally the answer, but if you need better performance then xon might be a better answer.

The two machines must trust each other and there must be a relatively secure network connection, otherwise xon is not the answer.

You can also set \$DISPLAY manually if you know what you are doing.

## A Process

A process is a single copy of a program which is running or, in some sense, active. The shell is a process, as is the xterm, the window manger, emacs, and even ls.

A process has resources, such as memory and open files, it is given time, *scheduling slots*, executing on a CPU with a certain priority, it has resource limits (maximum amounts of memory, CPU time, etc. it can claim), and it has an *environment*. Lastly, it has a parent. Each process is associated with a single user.

These resources are exclusive to each process, and no process can change another's resources. Processes are mostly independent.

Each process has a unique *PID*, its Process ID.

A UNIX process has a current working directory, and a place for the three streams defined in C: `stdin`, `stdout` and `stderr`. To Fortran programmers, these are respectively the things which respond to `read (*,*)`, `write (*,*)` and the place that the 'floating point exception' error messages get written.

It also has a collection of *environment variables*. These are simply character variables of the form

USER=spqr1

(see also later)

# Processes

It is usual to run several processes simultaneously: an xterm, a command shell, an editor, a compiler, a program you have written, the window manager, etc.

Occasionally it is necessary to exercise some direct influence on an individual process.

The command `ps aux` will show all the processes running on a machine. This may be overwhelming, so

```
ps aux | less or
```

`ps aux | grep uid` may be more helpful. To request that a process with a PID of 1234 exits, type

```
$ kill 1234
```

If that fails, try

```
$ kill -KILL 1234
```

though this gives the application no opportunity to shut itself down neatly.

If that fails, see your system administrator.

The command `top` produces a continuously-updated display of active processes. It is not a substitute for `ps` which can list all processes. Use `Q` to exit from `top`.

`ps aux | less` causes the two processes `ps` and `less` to be launched ‘simultaneously’, and output to be transferred from one to the other, possibly (probably) after some buffering.

Note that you cannot stop processes you do not own!

`uid` is short for UserID/UserIdentifier.

The `grep` command extracts those lines containing the given text: see also later.

# Redirection

Most Unix commands can have their output redirected to files.

```
tcm30:~$ ls
results.dat  rubbish.dat
tcm30:~$ ls > ls.out
tcm30:~$ ls
ls.out  results.dat  rubbish.dat
tcm30:~$ less ls.out
ls.out  results.dat  rubbish.dat
```

Use `>` to send output to a file, and `>>` to append output to a file. To redirect error messages as well, use `>&` and `>>&`.

```
$ ls -ld womble > output
ls: womble: No such file or directory
$ cat output
$ ls -ld womble >& output
$ cat output
ls: womble: No such file or directory
```

Used in combination with `&`, it is possible to start a process, log out and go home, leaving the process running.

```
tcm30:/scratch/spqr1$ ./cgion.x >& SiC.out &
```

Note that `ls` is unusual in that it changes its behaviour when used with `>` and switches to single column output. You will not be able to reproduce the above exactly!

The `cat` command display the contents of a file by copying the named file to stdout. For this functionality it is much safer to use `less`, which copes correctly with binary files.

## File Transfer

The commands `rcp` and `scp` provide basic file copying functionality. If you want to transfer data within TCM then it will happen much faster if you use `rcp` because no encryption is involved at either end.

```
tcm3:/scratch/spqr1$ rcp input.dat tcm9:/scratch/spqr1/
```

The syntax of `scp` and `rcp` is almost identical to `cp`, except for the addition of a machine name in either the source, or the destination. Like `cp`, one can specify multiple source files if the destination is a directory:

```
tcm3:/scratch/spqr1$ rcp *.dat tcm9:/scratch/spqr1/
```

Unlike `rcp`, `scp` will prompt for a password if needed.

For anonymous file downloads from remote sites, `http` is probably the best answer: everyone has a WWW page. Use `wget` for command-line downloads. The older answer was `ftp`, which should never be used with passwords as it offers neither encryption nor challenges. The secure replacement for `ftp` is `sftp`.

See also the section on `tar` for more ideas.

# Variables

All shells support two classes of variables. The most important, *environment variables* are passed on to programs launched from the shell, and the other class, *shell variables* are not.

Shell variables are used for defining your prompt, setting (or unsetting) automatic logout or mailcheck features, and other aspects of the shell's behaviour. They can also be used as a programming convenience.

Here the Bourne-like and C-like shells differ in syntax. To set a shell variable:

```
sh: x=5
csh: set x=5
```

To set an environment variable:

```
sh: x=5 export x
csh: setenv x 5 (N.B. no '=' sign)
```

In all cases, to see the result:

```
echo $x
(echo simply prints (echoes) its arguments).
```

One shell variable sets the default prompt string. Convention says that this string ends in '%' for csh, '>' for tcsh and '\$' for sh and bash, but '#' for all shells if the user is root.

Several characters are treated specially, hence the standard TCM prompt of

```
$ PS1='\h:\w\$ '
> set prompt='%m:%~%#'
```

which gives prompts such as

```
tcm30:~/talks$
```

For the full list of options, see the bash or tcsh man page as appropriate.

## Finding Programs

When a command is typed, it is first checked against the (short) list of shell *built-in* commands. If not found, it is assumed to be an *external* command, and is searched for by looking in the directories specified in the environment variable called `$PATH`.

The path is an ordered colon separated list of directories to be searched:

```
$ echo $PATH
/usr/local/bin:/bin:/usr/bin:/usr/X11R6/bin
```

For efficiency, Bourne-like shells remember where they last found a command, and never look elsewhere for commands they have found once. C-like shells build a complete table of all the commands which exist on the path when they are started, and never search the directories themselves.

Tradition places the subdirectory `bin` of your home directory on the default path, so that you can install and use programs merely by placing them in this directory (which you may first have to create with `mkdir`).

C-like shells do rebuild their table should `$PATH` be modified.

If a command is added to a directory in the path, C-like shells will not notice. One must type `'rehash'` to cause them to rebuild their tables. Bourne shells can be confused by commands moving, and `'hash -r'` is the solution.

## **. and /**

The current directory, '.', is a special case for the path. If present it will always be searched without reference to hash tables. However, it shouldn't be present.

If the command name contains a '/', the path is not used, and the precise command specified is executed.

```
$ cat test.f
    write(*,*)'Hello'
$ f77 -o test test.f
$ test
$ ./test
Hello
```

All UNIX systems have a command called `test` already as a shell built-in function, so the first form will not execute the newly-compiled program whether or not '.' is on the path.

Should '.' be on the \$PATH, and, if so, where?

Some believe it should be first: if someone puts a program called 'test', or 'wish' in their current directory, they clearly want that version executed, not the standard one. This is insane, as one then cannot do anything in a directory to which others have write access, for they can booby-trap commands there. If '.' is last on the \$PATH then common command misspellings (e.g. 'ks' and 'mroe') can still be used for this trick.

# Command Arguments

In the wonderful world of DOS, the first 126 characters one types including the command name are simply passed to that command, unchanged. The command is responsible for all the parsing.

UNIX is very different. The command expects its arguments to be presented as a list of *words*, and wild-card expansions, variable substitutions, division into words, and similar processing, are done for it. This has one clear advantage: whereas in DOS some commands understand how to process wild-cards such as '\*' and '?', and some do not, in UNIX all behave in the same manner, because the processing is always done by the shell before the command is even started.

This interfaces directly with C's idea of `argv`.

```
$ cat > args
#!/bin/sh
echo "The first argument is: $1"
echo "The second argument is: $2"
^D
$ chmod +x args
```

'^D' means type `{ctrl}{D}` – it indicates that no more data will be forthcoming. The `cat` command with no arguments copies `stdin` to `stdout`. Here `stdout` is redirected to a file, and `stdin` is the terminal input, so it acts as an extremely dumb 'editor'.

Shell scripts refer to their arguments as `$1`, `$2`, etc.

Note the use of `chmod` to turn this text file into something that can be executed. In this case, a script, the first line must start '#!' and then specify the program which is to run the script, here, `/bin/sh`.

# Hello world

```
$ ./args hello world
The first argument is: hello
The second argument is: world
$ ./args "hello world"
The first argument is: hello world
The second argument is:
$ ./args      hello      world
The first argument is: hello
The second argument is: world
$ ./args hello\ world
The first argument is: hello world
The second argument is:
$ x=hello ; y=world
$ ./args $x $y
The first argument is: hello
The second argument is: world
$ ./args "$x $y"
The first argument is: hello world
The second argument is:
$ ./args '$x $y'
The first argument is: $x $y
The second argument is:
```

Note the silent removal of excess spaces between words.

The double quote protects spaces from being treated as argument separators, whereas single quotes prevent any expansions.

The semicolon separates UNIX commands placed on the same line, just as it would in C or perl.

# Hello, again

```
$ mkdir test
$ cd test
$ touch hello
$ touch world
$ ls -l
total 0
-rw-r--r-- 1 spqr tcm 0 Dec 20 9:37 hello
-rw-r--r-- 1 spqr tcm 0 Dec 20 9:37 world
$ ../args *
The first argument is: hello
The second argument is: world
$ ../args ~ ~mjr
The first argument is: /domus/spqr
The second argument is: /home/mjr
$ ../args '*' '~'
The first argument is: *
The second argument is: ~
```

The character ‘~’ is expanded to the home directory, and a tilde followed by a userid to that user’s home directory.

Yet more examples can be found in the advanced section on page 44.

The `touch` command will create a file of zero length, or, if the file already exists, alter its last-modified time to the current time.

# Wild-cards

Most people are familiar with the *wild-cards* ‘\*’ (any number of any character) and ‘?’ (any single character), and the fact that neither will match a leading ‘.’. These are expanded by the shell, and are not passed to the program.

One can also specify a sequence of characters using square brackets.

```
$ ls
apple  Bill  pear
$ ls [a-z]*
apple  pear
$ ls [A-Z]*
Bill
$ ls [a-zA-M]*
apple  Bill
```

This assumes the sane collation ordering of A-Za-z. If one suffers a system which uses AaBb-Zz, then `[A-Z]*` expands to all files starting with a letter other than ‘z’!

Those using `bash` can quickly see different collation orders by typing

```
$ LANG=en_US ls
and
$ LANG=C ls
```

The ‘traditional’ order is that produced by `LANG=C`. Other settings ensure that things such as `é`, `è`, `ê` and `e` are all considered equivalent. Many programs assume a particular setting of the various `LANG` variables. Few are tested with all possible settings.

(`LANG` variables include `LANG`, `LC_ALL`, `LC_COLLATE`, `LC_CTYPE`, `LC_MESSAGES`, `LC_NUMERIC`. (`LC` abbreviates locale.) Some programs will ignore all of them, some will respond to some of them. . .)

# Printing

Three commands allow interaction with the print spooler:

`lpr` sends a file to a printer.

`lpq` lists files queued for the printer.

`lprm` deletes a job from the queue.

All take an optional argument of `'-P'` to specify the print queue:

```
$ lpr -Ppsc foo.ps
```

In general files sent to printers should be PostScript or plain text: printers don't understand pdf, gif, compressed PostScript et al.

Pipes can be used with `lpr`:

```
$ psnup -2 foo.ps | lpr -Pps
```

```
$ gunzip -c foo.ps.gz | lpr
```

Local commands may exist for turning on duplexing, printing to OHPs, printing 'large' files, and other special requirements.

The `psnup` command rearranges a PostScript file to fit several pages onto a single page, thus saving trees. This booklet was printed with

```
$ psbook foo.ps | psnup -2 | duplex -land -Pps2
```

which does rather more processing. The `duplex` command is unlikely to be found outside of TCM, and `psbook` reorders the pages suitably.

The `lpr` command rarely (never?) loses files, so careful use of `lpq` and `lprm` is generally better than approach of firing off multiple jobs until one is printed on a printer that you can find.

Sending EPS figures to a printer is often pointless: EPS is a fragment of PostScript (vaguely) akin to a subroutine – it is intended to be included in other documents, after suitable scaling and translation, and does not in general print. Some applications produce EPS which is printable PostScript, and which is (almost) conforming EPS, so does print. Some don't. Commands such as `eps2ps` may exist.

## Remote Commands

Using `rsh` (within a secure environment) and `ssh` (otherwise) you can trivially run commands on other UNIX computers to which you have access. Both `ssh` and `rsh` copy their standard input to the remote command, standard output of the remote command to their standard output, and the standard error of the remote command to their standard error. The `ssh` command will also deal with graphical applications.

```
$ rsh tcmpc1 ls /
```

To print a document stored on your local computer on a remote computer:

```
$ cat foo.ps | rsh tcmpc52 lpr -Pps2
```

This also works the other way around:

```
$ rsh tcmpc52 cat bar.ps | lpr -Pps2
```

Remember about quotes and escaping characters? (:0.0 is the local DISPLAY value, localhost:12.0 the remote.)

```
$ ssh tcmpc52 echo $DISPLAY
:0.0
$ ssh tcmpc52 "echo $DISPLAY"
:0.0
$ ssh tcmpc52 'echo $DISPLAY'
localhost:12.0
$ ssh tcmpc52 echo \$DISPLAY
localhost:12.0
```

## Scripts vs Typed Input

A shell script is run in a separate process from the invoking shell. Thus any changes it makes to its environment are lost when the script exits.

To read commands from a file into the current shell, and interpret them as though they had been typed in, `csh` users must type `'source filename'` and Bourne shell users `.'. filename'`.

```
tcmpc52:~$ cat silly
#!/bin/sh
cd /
tcmpc52:~$ ./silly
tcmpc52:~$ . ./silly
tcmpc52:/$
```

Note that the prompt shows when the current directory of the shell changes.

There is more about shell scripts in the 'More Advanced UNIX' section, later in this booklet.

# Configuration Files

Unix programs often store their configuration files in one's home directory, with names starting with '.'.

Often known as 'dot files.'

Such files are not shown by `ls` by default, nor does '\*' match such files.

To find them, `ls -a` will serve.

<code>.bash_profile</code>	commands executed by bash login shells
<code>.bash_login</code>	commands executed by bash login shells (if no <code>.bash_profile</code> file is found)
<code>.bashrc</code>	commands executed by bash interactive non-login shells
<code>.cshrc</code>	commands executed by every [t]csh shell
<code>.fvwm2rc</code>	fvwm2's configuration
<code>.login</code>	commands executed by [t]csh login shells
<code>.mozilla</code>	directory tree full of Mozilla and Firefox configuration
<code>.pinerc</code>	pine's configuration
<code>.profile</code>	commands executed by [ba]sh login shells (if neither <code>.bash_profile</code> nor <code>.bash_login</code> files are found)
<code>.rhosts</code>	list of accounts permitted passwordless login
<code>.shosts</code>	list of accounts permitted passwordless ssh login
<code>.tcshrc</code>	commands executed by every tcsh shell

Many are text files which you are free to change, and there are many not listed above.

## Rampant Customisation

People creating hundreds of personalised settings could be regarded as wasting their time. It is probably a bad path to follow, and copying large numbers of settings from other people without checking them can lead to all sorts of problems. You should not let people give you 'dot files' which you don't understand.

# Maths

`bc -l` will startup a simple calculator (basic calculator) that accepts things like:

```
tcm30:~$ bc -l
(4+6)/5*2
4.000000000000000000000000
quit
tcm30:~$
```

Note the non-algebraic, but left-to-right, precedence.

Without `-l` it acts as an integer calculator. The only function is `sqrt`. With it, it acts as a fixed point (20 decimal places) calculator, and defines the functions `s` (sine), `c` (cosine), `a` (arctangent), `e` (exponential), `l` (natural logarithm) and `j` ( $n, x$ ) (Bessel function).

```
tcm30:~$ bc -l
4*a(1)
3.14159265358979323844
scale=40
4*a(1)
3.1415926535897932384626433832795028841968
scale=0
5/4
1
obase=16
255
FF
```

It can be used with pipes too:

```
tcm30:~$ echo '5*7' | bc
35
```

There is also a GUI calculator, `xcalc`, but its lack of support for cut and paste is tedious.

# English

In the past UNIX had a spell checker called ‘spell’. Now one is more likely to find improved versions such as ‘aspell’ or ‘ispell’. Emacs interfaces with them, and, in the case of ispell, the thing can also be fed whole files and will interactively step through the errors with a full screen interface. There are switches for ignoring  $\text{\LaTeX}$  commands too.

The simpler line-mode approach is:

```
tcm30:~$ ispell -a
@(#) International Ispell Version 3.2.06 08/01/01
colour
*

color
& color 2 0: colon, colour

independant
& independant 3 0: independent, in dependant, in-dependant
```

(It is always worth starting with ‘colour’ to check that the program is speaking English, rather than some strange foreign tongue.)

# Manual Pages

The `man` command is probably the most important UNIX command: it displays the on-line manual, which will explain all the others anyway. Most UNIX's implement the `man` command as described below, but, beware of AIX, which strongly prefers IBM's own 'info' system.

An individual page covers a single command, routine, or file. Some are a few lines long, and some (such as that for `tcsh` or `bash`) many thousand of lines.

The pages are grouped into chapters, depending on the class of the item described. Important chapters include:

- 1 user commands
- 1x X-based user commands
- 2 system functions
- 3 C functions
- 3f Fortran functions (if present)
- 5 configuration file formats
- 8 administrative commands

# Reading a man page

WC(1)

FSF

WC(1)

## NAME

`wc` - print the number of bytes, words, and lines in files

## SYNOPSIS

`wc` [OPTION]... [FILE]...

## DESCRIPTION

Print line, word, and byte counts for each FILE, and a [etc.]

The header line repeats the name of the man page, ‘wc’, and gives the chapter number in brackets. It may also give the author in the centre (Free Software Foundation).

The next line is very important: it is a one-line summary of the page, and this is the line which is used when searching for man pages, and which is returned by the `what is` command.

```
$ what is wc
wc (1) - Counts the lines, words, characters, and bytes in a file
$ man -k words | grep 1
wc (1) - Counts the lines, words, characters, and bytes in a file
```

The `what is` command prints the one-line summary of a manpage.

The `man -k` command (equivalent to the `apropos` command) searches the `what is` database for the keyword given. In the example above, the output is piped through `grep` to ensure that only answers containing ‘1’ (i.e. from chapter one) are given.

## More man

The Synopsis section should give a brief summary of the syntax for the command and a summary of what it does. Things inside [ ] are optional, and the syntax [a | b] shows that a and b are mutually exclusive options. It is possible to nest the brackets and/or symbols.

This should be followed by a (usually alphabetical) list of options, and a description of what they do. Towards the end one should see examples, lists of standards to which the command conforms, and, finally, a list of related man pages.

Single-character options are often grouped, so that ‘[-ab]’ means any, all, or none of the options, i.e., nothing, ‘-a’, ‘-b’, or ‘-ab’.

Linux’s man pages tend to be somewhat patchy in quality. Tru64 is usually significantly better, and Solaris better still.

Sometimes man pages (such as `exit`, `printf`, `mkdir`, `cvs`, `crypt`) appear in multiple sections. The `whatis` command will display all appropriate summaries, whereas the `man` command may display just one, using a precedence order which is non-obvious.

To specify a precise page, one must specify the section too, as in

```
man 3 printf
```

or

```
man -s 3 printf
```

the latter being Solaris’s syntax.

If the `whatis` database is missing, or out-of-date, then `man -k` cannot work correctly, although `man` itself will find pages not in the `whatis` database.

# More Advanced UNIX

A small, random selection of topics in greater detail follows.

## Searching for Text - `grep`

The `grep` command is very useful for searching files. It will print every line which contains a given string:

```
$ grep 'TOTAL ENERGY' output.dat
TOTAL ENERGY IS          -745.4575585
TOTAL ENERGY IS          -783.9824520
```

with the `-v` option it will print every line which does not contain a given string:

```
$ ps aux | grep -v root
```

The `tail` command can also display from a file as it grows:

```
$ cgion.x >& output.dat &
$ tail -f output.dat
```

One can even use

```
$ tail -f output.dat | grep 'TOTAL ENERGY'
To stop tail -f, press {ctrl}C.
```

Some characters need quoting from the shell, and it tends to be safest to enclose the search string with quotes. For instance, if looking for running processes,

```
$ ps aux | grep R
```

is mostly right, but

```
$ ps aux | grep ' R '
```

will avoid any process with an 'R' in its name, and just match those with an isolated R (presumably the status column).

If one merely wants to count the number of matches,

```
$ ps aux | grep -v root | wc -l
```

certainly does the job. However, the `-c` option to `grep` is somewhat quicker and simpler:

```
$ ps aux | grep -cv root
```

## Regular Expressions

Most people are familiar with the shell wild-cards `*` and `?` used for filename 'globbing'. However, the general syntax for wild-cards for matching text, as used by `grep`, `perl`, `vi`, `emacs` and many others, known as *regular expressions*, is rather different.

The character corresponding to '?', which matches any single character, is '.'.

```
$ grep 'independ.nt' /usr/dict/words
independent
```

The file `/usr/dict/words` traditionally exists on UNIX systems, and contains a list of English words, one per line. Some UNIXes prefer to call it `/usr/share/dict/words`.

```
$ wc -l /usr/dict/words
25143 /usr/dict/words
```

The characters '^' and '\$' match the beginning and end of lines respectively:

```
$ grep 'pret$' /usr/dict/words
interpret
$ grep '^pret' /usr/dict/words
pretend
pretense
```

etc.

If one needs to search for a real '.', '^', or '\$', it must be preceded by a \. (L<sup>A</sup>T<sub>E</sub>X also uses this convention to 'escape' most of its special characters, as does the shell.)

```
$ grep '1.2' results.dat
1.234
152
31.27
311423
$ grep '1\.2' results.dat
1.234
31.27
$ grep ' 1\.2' results.dat
1.234
```

## Repeats and Ranges

The character '\*' means any number (including zero) of the preceding character.

```
$ grep 'a.*e.*i.*o.*u' /usr/dict/words
adventitious
facetious
sacrilegious
```

Thus `.*` is the equivalent of `*` as a shell wild-card.

Square brackets denote ranges, just as for shell wild-cards.

```
$ grep -c '^[A-Z]' /usr/dict/words
4974
$ grep '[aeiou][aeiou][aeiou][aeiou]' /usr/dict/words
aqueous
Hawaiian
obsequious
onomatopoeia
pharmacopoeia
prosopopoeia
queue
Sequoia
```

(Words starting with a capital letter, and words containing at least four vowels in a row.)

### grep and Regular Expressions

Most greps offer extended regular expressions, enabled by specifying `-E`. These enable one to specify repeats more explicitly:

```
$ grep -E '^o.*[aeiou]{4}' /usr/dict/words
obsequious
onomatopoeia
$ grep -E '^a.{9,}d$' /usr/dict/words
aboveground
abovementioned
absentminded
aforementioned
```

One can also specify multiple expressions to match with extended regexps:

```
$ ps aux | grep -Ev '^root|^rpc|^lp|^exim'
```

### More ideas

A `^` as the first character of a range negates the range (even for non-extended regexps).

```
$ grep -Ei '^[^aeiou]{6,}$' /usr/dict/words
rhythm
syzygy
```

(The '-i' makes the search case-insensitive, thus removing UNESCO from the answer.)

Find lines containing only numbers

```
$ grep '^ [0-9+ .eE-]*$'
```

(note '.' stands for itself with a range, and '-' for itself if it is the first or last character.)

Find lines containing more than 72 characters

```
$ grep -E '^.{73,}$'
```

or simply

```
$ grep -E '.{73}'
```

Find lines containing two or more adjacent capitals

```
$ grep -E '[A-Z]{2,}'
```

And read the man page...

### More regular expressions

The search facility of `more` and `less` (and hence of `man`), and also of `vi`, is based on regular expressions. Hence one can get funny results if searching for a special character such as '.', '[' or '\*'.

This can be avoided by preceding such characters with a backslash.

```
$ grep '\.' /usr/dict/words
```

e.g

i.e

Ph.D

U.S

U.S.A

Emacs offers both a fixed string and a regexp search.

It is worth learning a little about regular expressions: they can be very useful, and very many programs can use them: `awk`, `ed`, `emacs`, `expr`, `grep`, `less`, `more`, `perl`, `python`, `sed`, `vi` to name a few.

To perform replacements more complicated than single character substitutions, one needs to use `sed`.

### UNIX to DOS (LF to CRLF)

```
$ sed 's/$/^M/' <file.txt >file.dos
```

This finds end-of-line characters, and adds `^M` before them.

For this simple example, using `sed`'s substitute command (`s`), the regular expression to search for is between the first two `'/` characters, and the replacement string between the second two. Only the first occurrence on each line will be replaced.

Remember that you may have to type `^M` as `{ctrl}V{ctrl}M`

The `tr` program is good at single-character translations to change the different end-of-line codes.

### **DOS to UNIX (CRLF to LF)**

Simply delete all carriage returns.

```
$ tr -d '\r' <file.dos >file.txt
```

### **Mac to UNIX (CR to LF)**

```
$ tr '\r' '\n' <file.mac >file.txt
$ tr '\n' '\r' <file.txt >file.mac
```

### **Mixed DOS/Mac to UNIX**

```
$ sed 's/^M$//' <file.mixed | tr '\r' '\n' > file.txt
```

(This is useful for some PostScript files. It is necessary to use `sed` to replace multi-character sequences. To type the `^M`, in `bash` type `{ctrl}V{ctrl}M`, and in `tcsh` give up! If you are lucky your `sed` will support `'s/\r$//'`, but it might not.)

## **Finding files: find**

The `find` command finds files based on their metadata (not their contents). It can find by name, size, modification date, type, etc., and it will descend a tree starting at a given directory. Hence

```
$ find ~ -type l -print
```

will list all symbolic links in your home directory, and

```
$ find ~ -size +4m -ls
```

all files larger than 4MB.

N.B. Some `find` commands need `+4096k`, not `+4m`.

The first argument to `find` is the directory to start searching from so, if you wish to start at the current directory, a dot must be used.

```
find . -size +4m -ls
```

And NEVER try something like

```
$ find / -size +4m -ls
```

because this will search through all remotely-mounted disks too, which could be a significant fraction of a TB.

Instead use

```
$ find / -xdev -size +4m -ls
```

if you really must search the root filesystem. The `-xdev` flag will prevent `find` from moving across mount-points.

All finds have a flag with the functionality of `-xdev`. Unfortunately, some call it `-mount`, others `-x`, ...

The `find` command effectively evaluates a string of conditions, stopping when the first one evaluates to false. So

```
$ find . -name '*ps' -size +1m -ls
```

will list all files whose names end in `'ps'` and which are over 1MB in size. The operator `'-print'` prints the current filename, and returns true. The operator `'-ls'` prints something like the output of `ls -l` for the current filename, and returns true. Use neither, and nothing may result.

Replace `'-size +1m'` by `'-mtime -8'` for all `ps` files modified in the last week.

(If you suffer from a `find` which does not support `-ls`, then

```
find . -name core -exec ls -l {} \;
```

is the answer.)

## File Archives

UNIX's standard archive program, `tar`, produces a single file containing an archive of all its input files.

```
tcm30:~$ tar -cf thesis.tar thesis
```

will produce an archive called `thesis.tar` contain the directory `thesis` (and its subdirectories). Add a `'v'` to the options to see each filename as it is added to the archive.

To examine the contents of such an archive, use

```
tcm30:~$ tar -tvf thesis.tar
```

and to extract (which will over-write existing files)

```
tcm30:~$ tar -xvf thesis.tar
```

and to remember those odd arguments:

```
c – create  
t – table (of contents)  
x – xtract
```

However, `tar` is rarely used on its own. It is often used for medium or long term storage, in which case it is usually used in conjunction with one's favourite compression program:

```
tcm3:~$ tar -cf - thesis | gzip > thesis.tar.gz  
tcm3:~$ tar -cf - thesis | bzip2 > thesis.tar.bz2
```

and to reverse

```
tcm3:~$ gunzip -c thesis.tar.gz | tar -tvf -
```

Here naming a file '-' stands for stdin or stdout as appropriate. The default file which `tar` will write to in the absence of any 'f' argument is the tape drive (which probably doesn't exist). Yes, `tar` abbreviates Tape ARchive.

Gnu's version of `tar` accepts the option `z` to mean compress with `gzip`, so that one can simply use:

```
tcm3:~$ tar -czf thesis.tar.gz thesis  
tcm3:~$ tar -tvzf thesis.tar.gz
```

but do not rely on all tars accepting this.

Another use of `tar` is for copying whole directory trees around. This is much easier with Gnu's syntax:

```
tcm30:/scratch/spqr1$ tar -cf - run1 | rsh tcm30 \\  
tar -C /scratch/spqr1 -xf -
```

to copy the contents of the directory tree `/scratch/spqr1/run1` on `tcm30` to the same place on `tcm30`, or even

```
tcm30:/scratch/spqr1$ tar -cf - run1 | tar -C /usb -xf -
```

which will copy the directory tree /scratch/spqr1/run1 to /usb/run1 on the same machine.

If suffering from a ‘traditional’ tar, these commands become

```
tcmpc30:/scratch/spqr1$ tar -cf - run1 | rsh tcmpc20 \  
  cd /scratch/spqr1 \; tar -xf -
```

and

```
tcmpc30:/scratch/spqr1$ tar -cf - run1 | ( cd /usb ; tar -xf - )
```

## Shells

### Shells and Redirection

The use of ‘|’, ‘>’, ‘>>’, ‘>&’ and ‘>>&’ has already been covered. Assuming one is using a Bourne shell, it is also possible to redirect stdout and stderr separately:

```
$ ls -ld .  
drwxrwxrwt 6 root root 4096 Dec 18 18:41 .  
$ ls -ld . > output  
$ cat output  
drwxrwxrwt 6 root root 4096 Dec 18 19:48 .  
$ ls -ld womble > output  
ls: womble: No such file or directory  
$ cat output  
$ ls -ld womble > output 2>errors  
$ cat output  
$ cat errors  
ls: womble: No such file or directory
```

Indeed, in the Borne shell the > syntax is really short for unit no>, with a unit number of 1 (stdout) assumed if none is given. The unit number of stderr is 2. (The C unit numbers are the ones which are relevant here, as UNIX is written in C. That to Fortran stdout is usually 6 is irrelevant.)

Note too that if no output is produced, the file to which output is redirected with > will be truncated to zero length, losing its previous contents.

Returning to examples which also work in [t]csh, one can redirect stdin too:

```
$ cat input.dat  
7+5  
$ bc < input.dat  
13
```

This is very useful for running commands non-interactively.

Finally, there is a special file called `/dev/null` which simply discards anything written to it. This can be useful for throwing data away (though such tricks should be used with caution...):

```
tcm30:~$ rm /womble
rm: /womble: No such file or directory
tcm30:~$ rm /womble >& /dev/null
tcm30:~$
```

## Shells and Command Arguments

It is the shell which is responsible for expanding command arguments and passing them to the command. Hence here a few more examples.

```
$ x="hello world"
$ ./args $x
The first argument is: hello
The second argument is: world
$ ./args "$x"
The first argument is: hello world
The second argument is:
$ ./args '$x'
The first argument is: $x
The second argument is:
$ ./args \ $x
The first argument is: $x
The second argument is:
```

Note:

- variables expanded first, then result split into words.
- variables in double quotes are expanded.
- variables in single quotes are not expanded.
- `\` escapes the `$` character.

## Backquotes

There is one other sort of quote in 7 bit ASCII, the *backquote* or *tic*, usually found at the top left of the keyboard. Anything between backquotes is executed in a sub-shell, and is substituted by anything sent to stdout.

```
$ ls
hello world
$ ../args `ls`
The first argument is: hello
The second argument is: world
```

```
$ echo "3+4" | bc
7
$ ../args `echo "3+4" | bc`
The first argument is: 7
The second argument is:
```

Note that `stderr` is not collected by the backquotes:

```
$ ../args `ls womble`
ls: womble: No such file or directory
The first argument is:
The second argument is:
```

## Shell Startup

Whenever a new shell is started, it sources certain files, depending on both the type of shell and whether or not it is a *login shell* (not by default). For `tcsh`, the sequence is:

```
/etc/csh.cshrc
/etc/csh.login (if a login shell)
~/ .tcshrc or, if not found, ~/ .cshrc
~/ .login (if a login shell)
```

For `bash` the sequence is:

```
/etc/profile (if a login shell)
~/ .bash_profile or ~/ .bash_login or ~/ .profile (if a login shell)
~/ .bashrc if not a login shell
```

(The `csh` is as `tcsh` but without `~/ .tcshrc`, and `sh` as `bash` but without files containing `'bash'` in their name.)

Scripts read on login may produce output ('Good morning, sir, you are 4KB below you disk quota again'). Scripts read by non-login shells may not – if they do, all sorts of oddities occur, especially with `rcp`, `rsh` and similar.

`Bash`'s startup sequence is also slightly odd. Some systems are configured so that `.bashrc` is read by login shells too, and some so that a global `/etc/bashrc` exists.

Any shell is either a login shell, or the descendant of a login shell, so anything which will be inherited need only be set once in the files read only by login shells. Unfortunately many installations of X get this wrong.

Shell startup is depressingly common: many programs do it to expand wild-cards, or because a C library function called `system()` neatly does the `fork()`, `exec("/bin/sh", ...)`,

`wait()` magic one needs to launch another program and wait for it to finish. Thus simple shell startup needs to be fast. For `/bin/sh` it is: no configuration files read unless it is a login shell.

Needless to say, a file whose contents are executed every time one logs in is really quite important. Mistakes here can even prevent one logging in at all. (So, if you feel the urge to change one of these files, do test it by logging in (`ssh` or `rlogin` to `localhost`) before logging out and then finding that you cannot get back in.)

Do also make sure that you keep half an eye on the contents. In TCM one can delete these files and still have a workable account. For systems where this is not true, tradition places minimal working examples in `/etc/skel`, or otherwise as advertised.

### **Scripts in which shell?**

Writing scripts to do common tasks can save much time, and the shell provides a simple language well-suited for manipulating files and jobs.

The first problem is to choose one's shell. The choice is really no choice, for shells derived from the C shell do not allow one to define functions, whereas the Bourne shell introduced functions in 1984. Worse, there is no formal standard describing what the C shell does, whereas POSIX has standardised a Bourne shell. Finally, `/bin/sh` is guaranteed to exist, and no other shell is.

So clearly the C shell loses for portability, it loses for being poorly defined, and it loses for scripts of more than a couple of dozen lines due to its lack of functions.

The result is that no sane person scripts in the C shell, and therefore there is no corpus of decent scripts for one to learn from by example. Also, being little used for scripting, C shells are likely to be more buggy. That `csh` has better support for arithmetic is little consolation.

### **Other scripts**

Although the C shell is almost never the correct language to use, the Bourne shell is not invariably correct either. One should not forget alternatives such as `awk`, `perl`, `python` and even `sed`.

There is also the matter of which of the various Bourne shell derivatives to use. Here we shall look at the lowest common denominator, which is therefore likely to lead to best portability. There are some useful extensions in other shells: `bash` (like `csh`) supports basic arithmetic operations. However, one can live without.

The shell gets used for the very basic control structure, and almost everything else is done by external programs. The result is often somewhat inefficient, so really serious scripts should be written in `perl`, `python` or C.

### **Special variables**

We have already seen that `$1` to `$9` contain the first nine parameters passed to the script. `$0` actually contains the script name itself, as typed, and `$#` the total number of arguments.

The command `shift` moves all arguments, except `$0`, up one, with `$1` disappearing, and the tenth parameter (if any) becoming `$9`, and  `$#`  decremented. It is an error to `shift` when  `$#`  is zero.

Other special variables include  `$?`  which returns the exit status of the last command, and  `$$`  which returns the script's PID.

A variable name can be enclosed in  `{}` , and must be if followed by an alphabetic character.

```
$ x=foo
$ echo $xbar

$ echo ${x}bar
foobar
```

## Return Codes

Each process should exit with a code of zero if it has been successful, and non-zero if it has failed. As there are more ways of failing than of succeeding, there are more ways of expressing failure than success. One can usually find the return code of the last process by typing `echo $?`.

```
$ ls -d /
/
$ echo $?
0
$ ls -d /womble
ls: /womble: No such file or directory
$ echo $?
1
```

Here the `ls` command, a separate process, has produced a return code of zero when it has been successful, and an error message and a non-zero return code when it failed to do what was requested of it.

It is good practice to check return codes when writing shell scripts.

## Simple `if` statements

```
#!/bin/sh
if cd $1
then
    echo We can change directory to $1
    if touch womble
    then
        echo And we can create files in it
        rm womble
```

```

    fi
else
    echo We cannot cd to $1
fi

```

Note that the condition expression is simply a command. A command which executes successfully gives a return code of zero, which is considered to be true. One which fails, non-zero, and false.

Yes, this is the opposite of most programming languages. Note too the use of `fi` for ‘endif’.

### testing times

The command `test` allows one to test most aspects of file existence, and some string operations too. Common uses are

```

test -d dir: true if dir exists
test -f file: true if file exists
test str1 = str2: true if strings are equal
test int1 -eq int2: true if integers are equal

```

The command `[]` is a synonym for `test`, and if invoked as `[]` the expression must be terminated by a `]` preceded by a space. So

```

if test -d /temp
can equally, and more usually, be written
if [ -d /temp ]

```

For integer comparisons, `-lt`, `-gt` and `-ne` exist, and all comparisons can be negated with a leading ‘!’, such as `[ ! -d /temp ]`

See ‘`man test`’ for more.

### expressing Oneself

The `expr` command performs simple arithmetic and string matching functions. It is fussy about spaces, but more universal than `bc`, and it can handle strings. See its man page for full details.

```

#!/bin/sh
x=1
while [ $x -le 12 ]
do
    echo $x `expr $x '*' $x`
    x=`expr $x + 1`
done

```

It is tempting to use the `bash` arithmetic extensions, and to write the loop body as

```
echo $x $(( $x * $x ))
x=$(( $x + 1 ))
```

If you are tempted, be sure to change the first line to read `#!/bin/bash`, rather than fall into the Linux `sh-is-always-bash` trap.

### For loops

```
#!/bin/sh
for f in 3 6 9 10 13 33
do
    rsh tcm$f status
done
```

should display the status of TCM's XP1000 machines.

The `cs`h equivalent is

```
#!/bin/csh
foreach f ( 3 6 9 10 13 33 )
    rsh tcm$f status
end
```

Try using both in an interactive shell (`bash` and `tcsh` respectively), and then press cursor up, and see which you prefer...

## Processes: their Life and Death

Parents are important at two points in a process's life. At birth, when it receives its inheritance, and at death, when it needs to inform its parent of its demise. Orphans are not permitted: they are immediately adopted, or *re-parented* by a special process called `init`, whose PID is one, and which is responsible for many house-keeping tasks.

When a process dies, its resources are immediately freed. It will get no more scheduling slots on the CPU, its memory will be reclaimed, its open files closed, etc. Its final act is to inform its parent of its death. The main reason for having children is to get a specific job done. Thus a process needs to be informed when its children die.

The parent will receive a signal when a child dies, and then it must collect the final message from the child, which will be a *return code* indicating whether the death was voluntary or compulsory, and whether the process had a successful life.

A child which has died but which cannot successfully communicate this fact to its parent becomes a *zombie*. Hence it is important for `init` to re-parent things.

Zombies are marked by a 'Z' in the output of `ps`. Killing zombies is not very important: they do little harm. When their wayward parents die, `init` can re-parent and remove the zombies.

# X11

The X Windowing system is one area of UNIX which is frequently badly misunderstood.

X is a system for the display of graphical applications. It was developed at MIT in the 1980s as a research exercise, not as an application intended for general use.

It divides the problem of displaying graphics into two distinct parts. Firstly there is the X server, which is responsible for getting the images onto the screen, and for reading keyboard and mouse events. Secondly there is the X client, which is the program which sends requests to the X server, and receives information about key presses and mouse movements from the X server.

## The X server

The X server needs to know precisely how to interact with the particular video hardware and keyboard and mouse attached to the computer on which it is running. Once it has initialised the graphics hardware, it just sits listening for requests to display things and requests to be sent keyboard and mouse information. These requests come encoded in the 'X protocol.'

The server really does listen: it listens on TCP port number 6000. Anyone connecting to this TCP port can talk to the server, and in the bad old days there was no further security whatsoever.

A computer will usually run a single X server, usually run as root to permit more direct access to the graphics hardware, and usually written by the hardware manufacturer: hence `Xdec`, `Xsun`, etc.

## The X client

The X client is any of the multitude of processes which will use the X server in order to be displayed: your window manager, an `xterm`, an `xclock`, `gv`, `xdvi`, `acroread`, `xcalc` are all X clients.

The client will speak to the server using the X protocol, but, because the X protocol is tedious to program, every X client in fact uses the X11 library (`libX11.so`) which offers simple C functions one can call in order to open windows, select fonts, write text, write bitmaps, draw rectangles and arcs, and do the other simple operations.

The X client knows which X server to contact by looking at the environment variable `$DISPLAY`, whose syntax is

```
[host.domain]:offset.head
```

The optional `host.domain` part specifies which computer to connect to (if absent, the local machine is assumed). The `offset` specifies the TCP port number, as an offset from 6000. It is

usually zero unless one is using `ssh`. The head part is (usually) non-zero only for multi-headed displays.

## Security?

Having anyone anywhere in the world being able to contact the X server one is using and request a screen-dump, or a copy of all keystrokes, is a disaster. But this project was designed to demonstrate the feasibility of remote graphics display on a trusted network, not to be routinely used, nor to be anywhere near an untrusted network.

The first improvement was host-based authentication: `xhost`. This restricts access to the X server to a list of machines. This is useful if the machines listed are single-user machines and cannot readily be spoofed. Thus it is fine if the list contains the single entry 'localhost', and the machine in question is running Windows. In most other situations it is dodgy.

## Magic Cookies

The next improvement was the use of *MIT magic cookies*. These are 128 bit random numbers which the X server generates when it is started or reset. Any connection presenting the currently-valid cookie is accepted.

The cookies, along with the name of the display for which they are valid, are stored in a file called `$.Xauthority` in a user's home directory. An X application knows which display to connect to from the value of the `$DISPLAY` variable, and it can then look at the file of cookies to see if there is a corresponding cookie to offer. The command `xauth` can manipulate the `$.Xauthority` file. In particular, `xauth list` lists all cookies currently held.

One problem with cookies is that they get transmitted unencrypted every time a new connection to an X server is made. However, if one logs out frequently, they quickly become useless and thus any hacker has a small window of time (hours, not weeks) in which to trap and exploit one.

## Failed Magic

These cookies need to be stored in a file in one's home directory, one which is readable only by its owner. However, if one's home directory is unavailable (server half dead), or unwritable (over quota), there is a problem. This normally results in one being unable to log in.

The solution, on Linux machines, is to press `{CTRL} {ALT}{F1}` for a text-mode login, and see what has happened. `{CTRL}{ALT}{F7}` usually restores X: if not, try `F6` and `F8`.

On machines running CDE, one can choose a text-mode login from the login screen.

Sometimes running `ssh` whilst over quota results in one's `$.Xauthority` file being deleted (or truncated to zero length). Then one cannot open any more windows, and must solve the quota problem, then log out and in again.

In general, text mode logins are better at reporting what error occurred.

## 30 UNIX Commands

<code>a2ps file</code>	Print text file, two pages per sheet
<code>bc</code>	Fixed point calculator. See page 31.
<code>cal month year</code>	Show calendar (use four digit year!)
<code>cd</code>	Change current directory to home directory
<code>cd dir</code>	Change current directory to <i>dir</i>
<code>chmod go=file</code>	Prevent others from reading <i>file</i>
<code>cp file1 file2</code>	Copy <i>file1</i> to <i>file2</i> , overwriting <i>file2</i> if it exists
<code>cp files... dir</code>	Copy multiple files to a directory
<code>date</code>	Show date and time
<code>du -sk dirs...</code>	Show disk usage of <i>dirs</i>
<code>echo text</code>	Repeats its arguments
<code>env</code>	Display environment variable settings
<code>file file</code>	Guess file type
<code>kill pid</code>	Ask process to exit
<code>kill -KILL pid</code>	Cause process to be killed
<code>less file</code>	View a file, page at a time. See page 11.
<code>lpr file</code>	Print <i>file</i> (text or Postscript) to default printer
<code>lpr -Pprinter file</code>	Ditto, to named <i>printer</i>
<code>lpq</code>	List printer queue (can add -P)
<code>ls</code>	List contents of directory
<code>ls -ltr</code>	Ditto, with sizes etc., and sorted by modification time
<code>man command</code>	On-line manual for <i>command</i>
<code>man -k keyword</code>	Search on-line manual for <i>keyword</i>
<code>mkdir dir</code>	Make directory
<code>mv file1 file2</code>	Move (rename) <i>file1</i> , deleting <i>file2</i> if it exists
<code>mv files... dir</code>	Move multiple files to a directory
<code>ps / ps aux</code>	List processes / list all processes
<code>quota</code>	Show filespace quota
<code>rm files...</code>	Delete files
<code>rmdir dir</code>	Remove directory (if empty)
<code>status</code>	Show Alpha's / PC's status (TCM only)
<code>time command</code>	time a simple command
<code>top</code>	View process activity. Press q to quit (prstat on Solaris).
<code>wc file</code>	Count lines and words in text file
<code>xterm</code>	A command shell in a window
<code>yppasswd</code>	Change password

### Useful keypresses:

{ctrl}A – begining of line	{ctrl}C – terminate command
{ctrl}D – terminate input	{ctrl}E – end of line
{ctrl}H – delete (if all else fails)	{ctrl}Q – resume after {ctrl}S
{ctrl}S – pause display	{ctrl}Z – suspend process

`*`, 8, 26, 30, 37  
`..`, 22, 29, 30, 37  
`./`, 22  
`.Xauthority`, 51  
`/`, 7  
`/dev/null`, 44  
`/usr/dict/words`, 37  
`;`, 24  
`?`, 8, 26, 37  
`[`, 48  
`#!`, 23, 49  
`$`, 37, 44  
`$0`, 46  
`$1`, 23, 46  
`$?`, 47  
`$DISPLAY`, 51  
`$LANG`, 26  
`$PATH`, 21, 22  
`$PS1`, 20  
`$#`, 46  
`$$`, 47  
`<`, 43  
`>&`, 18  
`>`, 18, 43, 44  
`>>`, 18  
`\`, 44  
`^`, 37, 38  
`|`, 10, 17  
`~`, 25  
```, 44  
  
`awk`, 46  
  
`background`, 13  
`backquote`, 44  
`bash`, 2, 45, 46, 49  
`bc`, 31  
`bg`, 13  
  
`calculator`, 31  
`cat`, 18, 23  
`cd`, 6  
`chmod`, 9, 23  
`collation order`, 26  
`command arguments`, 23–25, 44  
`configuration files`, 30  
`cp`, 6, 19  
`csh`, 43, 45, 46, 49

`desktop`, 4  
`directory`, 2, 6, 7  
`do`, 48  
`done`, 48, 49  
`dot files`, 30, 45–46  
`duplex`, 27  
  
`echo`, 20  
`emacs`, 13  
`EPS`, 27  
`eps2ps`, 27  
`export`, 20  
`expr`, 48  
  
`fg`, 13  
`find`, 40, 41  
`folder`, 2  
`font size`, 3  
`for`, 49  
`foreground`, 13  
`ftp`, 19  
`fvwm`, 4  
  
`grep`, 17, 36–39  
`gzip`, 42  
  
`hash`, 21  
  
`if`, 48  
`ispell`, 32  
  
`kill`, 17  
  
`less`, 10, 11, 39  
`locale`, 26  
`lpq`, 27  
`lpr`, 27  
`lprm`, 27  
`ls`, 6–10, 30  
  
`magic cookies`, 51  
`man`, 34, 35, 39  
`manual pages`, 33  
`mkdir`, 6  
`more`, 11, 39  
`mv`, 6  
  
`PATH`, 21, 22  
`perl`, 46  
`permissions`, 9  
`pi`, 31

- pico, 13
- PID, 16, 47
- pipe, 10, 17
- PostScript, 27
- printing, 27
- process, 16, 17, 49
- prompt, 20
- ps, 17, 36
- psbook, 27
- psnup, 27
- python, 46
  
- rcp, 19
- redirection, 18
- regular expressions, 36–39
- rehash, 21
- return code, 47
- rm, 6
- rmdir, 6
- rsh, 28
  
- scp, 19
- search, 39
- sed, 39, 40, 46
- set, 20
- sftp, 19
- sh, 23, 43–49
- shell, 29
  - scripts, 29, 46
  - startup, 45
  - variables, 20
- shift, 47
- source, 29
- spelling, 32
- ssh, 28
- ssh, 15, 28
- standard error, 28
- standard input, 28
- standard output, 28
- string search, 36
- system(), 46
  
- TAB key, 8, 14
- tail, 36
- tar, 41–43
- tcsh, 2, 45, 49
- test, 48
- text conversion
  - DOS to UNIX, 40
  - Mac to UNIX, 40
  - Mixed to UNIX, 40
  - UNIX to DOS, 40
- top, 17
- touch, 25
- tr, 40
  
- uid, 17
- UNIX commands, 52
  
- variables, 20, 23
  - environment, 16, 20
  - shell, 20
- vi, 12
  
- wc, 34, 36
- wget, 19
- whatis, 34
- while, 48
- wild-cards, 8, 26
- window, 4
  
- X client, 4, 50
- X server, 50
- X11, 15, 50
- xauth, 51
- xcalc, 31
- xedit, 13
- xhost, 51
- xon, 15
- xterm, 2, 3
  
- zombie, 49